

The listing of claims presented below replaces all prior versions and listings of claims in the application.

IN THE CLAIMS

Claims 1-51 (cancel)

52.(Previously Presented) A biochip comprising (a) composition
K

wherein,

$$K = aA + bB + cC + dD + eE \text{ wherein}$$

A is a monomer based on derivatives of acrylic and methacrylic acids;

B is a water soluble cross-linking agent;

C is a biological modified macromolecule bearing an unsaturated group;

D is a water soluble compound as a medium component for performing a copolymerization;

E is water, and

a, b, c, d, e are percentages (X) of each ingredient in the composition

wherein for solids X is $m/v \times 100\%$; and for liquids X is $v/v \times 100\%$

wherein the total content of monomer and cross-linking agent is in a

range from 3 to 40% ($3 \leq (a+b) \leq 40\%$), and a monomer to cross-

linking agent ratio being within a range of 97:3 to 60:40 and

percentages of C, D, and E ingredients being within a range of

$$0.0001\% \leq c \leq 10\%; 0\% \leq d \leq 90\%; 5\% \leq e \leq 95\%;$$


and (b) an array formed on a substrate wherein the array is divided

into cells and each cell may comprise an immobilized

macromolecule.

53. (Previously Presented) The biochip according to claim 52 wherein said cells form a regular one- or two-dimensional structure (phase).
54. (Previously Presented) The biochip according to claim 54 wherein the composition K is applied to a substrate on the biochip by using an automatic device equipped with one or more micro dispensers.
55. (Previously Presented) The biochip according to claim 54 wherein the micro dispensers are rod type.
56. (Previously Presented) The biochip according to claim 54 wherein the micro dispensers are contactless micro dispensers of jet type.
57. (Previously Presented) The biochip according to claim 54 wherein the micro dispensers form a regular structure.
58. (Previously Presented) The biochip according to claim 52 wherein one or more substrates including applied droplets of polymerization mixture, during polymerization, are placed into a sealed container under oxygen free inert atmosphere with a controlled humidity.
59. (Previously Presented) The biochip according to claim 52 wherein said container is filled with N₂, Ar, or CO₂ gas.
60. (Previously Presented) The biochip according to claim 59 wherein the gas is continuously or periodically added to the container.
61. (Previously Presented) The biochip according to claim 52 wherein monomer A is one or more of acrylamide, methacrylamide, N-[tris(hydroxymethyl)methyl]acrylamide, and 2-hydroxyethylmethacrylate.

- 65.(Previously Presented) The biochip according to claim 52 wherein the modified biological macromolecule C is of formula (I):



wherein

OLIGO represents an oligonucleotide;

R^1 , R^2 , and R^3 are different and are selected from H, alkyl C_1 - C_6 , Ph, and $PhCH_2$;


Z is $(\text{CH}_2)_n\text{CH}(\text{CH}_2\text{OH})\text{CH}_2\text{OX}$ where n is 1-6; or Z is $(\text{CH}_2)_r\text{OX}$ where r is

X is a phosphodiester group binding an unsaturated moiety to 5'- and/or 3'-end of the oligonucleotide;

R^4 represents H, or $(CH_2)_rOH$ where r is 2-6; and

Y is $(p-C_6H_4)_t$ where t is 0-2.

66.(Previously Presented) The biochip according to claim 52 wherein the modified biological macromolecule C is of formula (II):



whercin

DNA represents a DNA fragment,

X is H or H_2PO_3 , and Z represents $-CO-Y-CR^1=CR^2R^3$


or

X is $-CO-Y-CR^1=CR^2R^3$, and Z is H or H_2PO_3 ;

R^1 , R^2 , and R^3 are the same different and are selected from H, alkyl C_1-C_6 , Ph, and $PhCH_2-$; and

Y represents $(p-C_6H_4)_t$ where t is 0-2.

67.(Previously Presented) The biochip according to claim 52 wherein the modified biological macromolecule C is of formula (III);



(III)


wherein:

DNA represents a DNA fragment;

R^1 , R^2 , R^3 are the same different and are selected from H, alkyl C_1 - C_6 , Ph, and $PhCH_2$ -; and

Y is $(p-C_6H_4)_t$, where t is 0-2.

68.(Previously Presented) The biochip according to claim 52 wherein the modified biological macromolecule C is of formula (IV):



IV

wherein:

DNA represents a DNA fragment;

R^1 , R^2 , and R^3 are the same different and are selected from H, alkyl C_1 - C_6 , Ph, and $PhCH_2$ -; and

Y is $(p-C_6H_4)_t$, where t is 0-2;


R^4 represents H, $(CH_2)_rOH$ where r is 2-6; and

Z is $(\text{CH}_2)_n\text{CH}(\text{CH}_2\text{OH})\text{CH}_2\text{OX}$ where n is 1-6; or $-(\text{CH}_2)_r\text{-OX}$ where r is 2-6;

and

X is a phosphodiester group binding an unsaturated moiety to 5'- and/or 3'-end of the DNA fragment.

69.(Previously Presented) The biochip according to claim 52 wherein the modified biological macromolecule C is a protein of formula (V):



wherein


R^1 , R^2 , and R^3 are the same different and are selected from H, alkyl $\text{C}_1\text{-C}_6$, Ph, and $\text{PhCH}_2\text{-}$;

X is NH, O, CH_2 , or S;

Y is $(p\text{-C}_6\text{H}_4)_t$ where t is 0-2; and

R is $(\text{CH}_2)_s$, or $(\text{CH}_2\text{CH}_2\text{O})_s$, where s is 1-20.

70.(Previously Presented) The biochip according to claim 52 wherein the modified biological macromolecule C is a protein of formula (VI):




VI

wherein

- R^1 , R^2 , and R^3 are the same different and are selected from H, alkyl C_1-C_6 , Ph, and $PhCH_2-$;
 X is NH, O, S, or CH_2 ;
 Y is $(p-C_6H_4)_t$, where t is 0-2;
 R is $(CH_2)_s$, or $(CH_2CH_2O)_s$, where s is 1-20;
 W is NH, O, or CH_2 ;
 F is $(CH_2)_x$, where x is 1 or 2; and
 Z is NH or S.

71.(Previously Presented) The biochip according to claim 52 wherein the modified biological macromolecule C is a protein of formula (VII):



wherein R represents $(CH_2)_s$, or $(CH_2CH_2O)_s$, where s is 1-20.

72.(Previously Presented) The biochip according to claim 52 wherein D is a water soluble high-boiling organic compound.

73. (Previously Presented) The biochip according to claim 72 where the water soluble high-boiling organic compound is *N,N*-dimethylformamide, dimethylsulfoxide or both.
74. (Previously Presented) The biochip according to claim 52 wherein use is made of a water soluble polyhydric compound as a component of the medium for performing the photo initiated polymerization.
75. (Previously Presented) The biochip according to claim 74 wherein the one or more water soluble polyhydric compound is selected from glycerol, sucrose and polyvinyl alcohol.
76. (Withdrawn) A method for performing PCR over the biochip according to claim 52 comprising the steps of:
- a) adding amplification solution, forward (F) and reverse (R) primers of samples of nucleic acids under investigation; and
 - b) incubating the biochip under conditions of a thermocycling treatment providing a realization of PCR-amplification.
77. (Withdrawn) A method for performing the PCR over the biochip according to claim 52 comprising the steps of:
- a) incubating isothermally the biochip with hybridization solution comprising the samples of nucleic acids under investigation to perform their hybridization with primers immobilized (synthetic oligonucleotides);
 - b) incubating isothermally the biochip, comprising the nucleic acids being hybridized with primers immobilized, in the amplification solution containing forward (F) and reverse (R) primers;

- c) replacing the amplification solution out of biochip gel elements with hydrophobic liquid (mineral oil) which completely isolates biochip cells with each other, and
- d) incubating the biochip under conditions of a thermocycling treatment providing a realization of PCR-amplification.